



RigidWood™ & RigidTile™

The Smart Advantage SPC

TORLYS
smart floors

RigidWood™ & RigidTile™

The Smart Advantage SPC



TORLYS makes it easy by offering a complete range of Rigid SPC that has all the benefits of a TORLYS Smart Floor, in both Flex & Firm constructions. Pick the flooring suitable for your lifestyle and you will be sure to find a range of colours, patterns and sizes in both wood and tile designs to suit any decor. Beautiful flooring that will last with no peaking, no cupping and no gapping - guaranteed!



TORLYS
FLOOD
WARRANTY



TORLYS
FoamPlusBlue
with MICROBAN®

Pictured on front cover: RigidWood™ Flex Elite, Abbey

All the performance benefits of a TORLYS smart floor... now in Rigid SPC.



RIGIDWOOD™ FIRM ELITE
MERLE RW-FME564

RigidWood
FLEX

Flex is the top of the line SPC vinyl. With 8 layers of single press construction and stunning deeply textured floors, it offers stability like no other floor. **Transition Free up to 80'x80'!**

RigidWood
FIRM

RigidTile
FIRM

Firm offers premium SPC vinyl in a 5 layer continuous press construction that offers a lighter, more subtle texture to provide excellent performance at great value. **Transition Free up to 70'x70'!**



RigidWood[™]
FLEX

The optimal blend of
flexibility and rigidity.



RIGIDWOOD[™] FLEX PREMIER
CRAFTSMAN, RW-FXP215
High Shade Variation

Why RigidWood™ Flex?

Features & Benefits


- Simply the best SPC floor on the market.
- Deep distinctive texture that is precisely synchronized to perfectly match the woodgrain pattern.
- Colour enhanced bevel that provides a more realistic look.
- 20% thicker than the average SPC on the market, creating an extra-stable floor that is perfect for all spaces including seasonal cottages and sunrooms.*
 - Remarkable dimension stability that will withstand 80°C temperature swings (from -30°C to +50°C (-22°F to +122°F)).
 - No peaking, no gapping and no cupping – guaranteed!
 - Install directly over other hard surfaces with minimal subfloor preparation and no telegraphing.
 - Transition Free up to 80'x80' and can be fixed/floated on the same floor.
- The exclusive fiberglass layer provides flexibility by conforming to the subfloor for a quieter, more solid “glue down” feel.
- TORLYS Maxx Commercial Finish resists high traffic scratches and staining and features built-in antimicrobial protection to keep floors 99% cleaner between cleanings

**Please refer to installation instructions for complete details.*



Stable and Flexible Construction

- 1)** TORLYS Maxx Commercial Finish with antimicrobial product protection
- 2)** Heavy Duty Wear Layer - 0.55mm (22 mil)
- 3)** Decorative Print Film
- 4)** PVC Top Layer
- 5)** Fiberglass
- 6)** Smart Core with Patented Uniclic® Joint
- 7)** PVC Balance Layer
- 8)** FoamPlus™ Blue Underlay with Microban® antimicrobial product protection
*Up to IIC 73



RigidWood
FLEX

ELITE ●●●●

3/16" x 7" x 58-3/4" (nominal)

22 mil wear layer

5.5mm (1mm IXPE) x 178.1mm x 1492mm

0.55mm wear layer



ABBEY, RW-FXE434



STONINGTON
RW-FXE430
High Shade Variation



WICKHAM
RW-FXE431



TRAFALGAR
RW-FXE432
High Shade Variation



BRONTE
RW-FXE433



ABBEY
RW-FXE434

3/16" x 6" x 47-3/4" (nominal)

22 mil wear layer

5.5mm (1mm IXPE) x 150mm x 1211.2mm

0.55mm wear layer



CRAFTSMAN, RW-FXP215
High Shade Variation



Why RigidWood™ & RigidTile™ Firm?

Features & Benefits


- Perfect flooring for all seasonal spaces including cottages and sunrooms.*
 - Remarkable dimension stability that will withstand 70°C temperature swings (from -20°C to +50°C (-4°F to +122°F)).
 - No peaking, no gapping and no cupping – guaranteed!
 - Install directly over other hard surfaces with minimal subfloor preparation.
 - Transition Free up to 70'x70' and can be fixed/floated on the same floor.
- RigidWood™ – Colour enhanced bevel with subtle textures.
- RigidTile™ – Realistic grout lines colour coordinated to the beautiful tile patterns make it the perfect alternative to porcelain or stone tile.
- TORLYS Maxx Finish reduces bacteria growth 24/7, keeping floors 99% cleaner between cleanings.
 - Premier & Elite feature Maxx Commercial Finish to resist scratches and staining in high traffic areas.
 - Vista features standard Maxx Finish to resist household scratches and staining.

**Please refer to installation instructions for complete details.*



Stable Construction

- 1) TORLYS Maxx Finish with antimicrobial product protection
- 2) Heavy Duty Wear Layer
Elite/Premier: 0.55mm (22 mil) wear layer
Vista: 0.3mm (12 mil) wear layer
- 3) Decorative Print Film
- 4) Smart Core with Patented Uniclic® Joint
- 5) FoamPlus™ Blue Underlay with Microban® antimicrobial product protection
*Up to IIC 70



RigidTile[™]
FIRM

PREMIER ●●●

3/16" x 12" x 24" (nominal)

22 mill wear layer

5mm (1mm IXPE) x 303.1mm x 607.2mm

0.55mm wear layer



MODENA, RT-FMP748



METRO GREY
RT-FMP745

AMHERST
RT-FMP746

CAPRI
RT-FMP747

MODENA
RT-FMP748

NERO
RT-FMP749

RigidWood[™]
FIRM

ELITE ●●●●

5/32" x 7" x 58-3/4" (nominal)

22 mil wear layer

4.5mm x 178.1mm x 1492mm

0.55mm wear layer



DALEWOOD, RW-FME563



RigidWood™
FIRM

PREMIER ●●●

5/32" x 7" x 47-3/4" (nominal)

22 mil wear layer

4.5mm(1mm IXPE) x 178.1mm x 1211.2mm

0.55mm wear layer



SKYLINE, RW-FMP475

RigidWood™
FIRM

VISTA ●●

5/32" x 6" x 47-3/4" (nominal)

12 mil wear layer

4.5mm(1mm IXPE) x 150mm x 1211.2mm

0.3mm wear layer



HELM OAK, RW-FMV154

SKYLINE
RW-FMP475

FOREMAST
RW-FMV150

ARBOUR
RW-FMP476

SPINNAKER
RW-FMV151

CANOPY
RW-FMP477
High Shade Variation

DECK OAK
RW-FMV152

DAKOTA
RW-FMP478

BLUEPETER
RW-FMV153

MEADOWLAND
RW-FMP479

HELM OAK
RW-FMV154

TORLYS Finishing Touches



Flush European Stair Nosing

A contemporary square stair nosing.



Overlap Reducer

Colour coordinated moulding to allow for a smooth transition between floors of different heights.



T-Moulding

An attractive solution for transitioning between floor surfaces in adjoining rooms where floors are approximately the same thickness.

TORLYS EcoCare Maintenance Kit

TORLYS EcoCare Maintenance Kit makes cleaning easy and carefree. It leaves no trace or residue, is easy on the environment and non-toxic, making it safe for pets and children. Proudly made in Canada. The kit includes a telescopic handle, a mop cover and a 700ml ready-to-use cleaner.

Minor Fix-Ups

TORLYS offers a touch-up kit for deep scratches/gouges.

TORLYS
ecoCare



TORLYS Bulldog™ Easy Plank Replacer

A benefit unique to TORLYS: single boards are repaired or replaced without moving furniture. No Glue. No Dust. No Mess.



Long Lasting Beautiful Floors

Easy-Care Maintenance Tips

- Dust-mop (with a non-treated, clean mop) or vacuum floors regularly.
- Wipe up spills on floors immediately with cloth or sponge. Clean as required with TORLYS EcoCare Floor Cleaner.
- Use only TORLYS recommended floor maintenance products on your TORLYS floor.
- Install floor protectors on furniture legs to protect against scratches and dents.
- Caster chairs require the use of a protective chair mat or soft caster wheels designed for hard surface floors.
- High heels and pet nails can cause permanent indentations in floor surfaces. Use caution when wearing high heels and keep pets' nails trimmed.
- At doorways, entry-ways and areas of heavy wear, use protective mats or rugs that are marked "non-staining".
- Approximately 75% of dirt on the floors in your environment is tracked in from the outside. One square yard of matting can capture one pound of soil. Use entry-way mats to capture tracked-in dirt and soil and clean them regularly. Rubber or fibre-backed mats may stain or scratch floor finish.
- TORLYS flooring, like other hard surface flooring may become slippery when wet. Allow time for floor to dry after wiping down.
- Never use highly acidic or alkaline cleaners, non-recommended floor cleaners, polishes, or waxes, or treated mops, or mops that have been used to clean other floors or furniture.

ELITE



PREMIER



VISTA



PERFORMANCE WARRANTY

RigidWood™ Flex & Firm

Wear Warranty	30 years	25 years	20 years
Stain Warranty	30 years	25 years	20 years
Flood Warranty	30 years	25 years	20 years
Structure	Lifetime	Lifetime	Lifetime
No Gapping*	Lifetime	Lifetime	Lifetime

*When temperature at the surface of the flooring does not exceed 122°F/50°C.

HEALTHY HOME

Indoor Air Quality

We follow some of the most stringent standards in the world.

TORLYS flooring products meet California Section 01350 and/or FloorScore® Certification.

MOVE IT & REUSE IT*

Re-purpose Guarantee*

Move your TORLYS floor to another room or another home.

**2-times Move
under warranty**

**1-time Move
under warranty**

–

Trade In Value*

Toward the purchase of a new TORLYS floor. See torlys.com for details.

**10%
– up to 30 years**

**5%
– up to 25 years**

–

Satisfaction Guaranteed*

See torlys.com for details.

30/60 days
If after 30 days you are not satisfied with the colour or style you chose, you have 60 days to order another TORLYS floor.

30/30 days
If after 30 days you are not satisfied with the colour or style you chose, you have 30 days to order another TORLYS floor.

–

COMMERCIAL PERFORMANCE WARRANTY

RigidWood™ Flex & Firm

Wear Warranty	15 years	10 years	5 years
Structure	15 years	10 years	5 years
No Gapping*	15 years	10 years	5 years

*When temperature at the surface of the flooring does not exceed 122°F/50°C.

Notes: See torlys.com for complete details on the TORLYS Peace of Mind Assurance Program.

*Move It & Reuse It – Re-purpose Guarantee, Trade In Value and Satisfaction Guaranteed. For TORLYS flooring installed floating. Valid only in Canada. Applies to residential installations only.

A cleaner home starts here.

TORLYS

RigidWood™ & RigidTile™ collections feature built-in antimicrobial protection.



TORLYS
FoamPlus™ Blue
with MICROBAN®

TORLYS
Maxx
COMMERCIAL
FINISH
Anti-microbial • Anti-scratch

TORLYS
Maxx
FINISH
Anti-microbial • Anti-scratch

TORLYS FoamPlus™ Blue Underlay with Microban®

The attached FoamPlus™ Blue underlay is infused with Microban® technology during the manufacturing process. This actively reduces the growth of mold and odor causing bacteria 24/7, extending the lifetime of the floor.

- Proven safe and effective, Microban® technology is integrated during manufacturing and becomes part of the molecular structure of the product.
- Helps prevent microbes from growing and reproducing, protecting against the growth of mold, mildew & bacteria.
- The treated underlayment is protected from stain and odor causing bacteria which will extend product lifetime.

Maxx Finish – Anti-Microbial, Anti-Scratch

Proven safe and effective, antimicrobial protection is infused into nano-technology finish during manufacturing to protect against a broad spectrum of bacteria 24/7.


- Will not wash off or wear away.
- Helps prevent microbes from growing and reproducing.
- Built-in technology will continue to work 24/7, for the lifetime of the floor.
- Easy-clean surface that stays 99% cleaner between cleanings.

24-Hour Time Lapse

On an untreated surface, the bacteria reproduce rapidly. On a treated surface, the bacteria struggle to survive and are reduced by up to 99%.

To learn more, visit
torlys.com/CleanerFloors

Surface with Antimicrobial Protection




2 HOURS

16 HOURS

20 HOURS

24 HOURS



Unprotected Surface



Waterproof

RigidWood™ and RigidTile™ are 100% waterproof - exclusively backed by TORLYS Flood Warranty.

TORLYS Flood Warranty

Only TORLYS offers a Flood Warranty! The patented Uniclic® joint combined with Microban® antimicrobial product protection means RigidWood™ and RigidTile™ is protected from water damage caused to your floors by floods. See website for complete details.

TORLYS Bulldog™ Easy Plank Replacer

A benefit unique to TORLYS: single boards are repaired or replaced using the patented Bulldog™ Tool. No Glue. No Dust. No Mess.

Uniclic® Joint Integrity

The patented Uniclic® joint combined with the rigid core creates one of the tightest joints possible. A guaranteed gap resistant joint that prevents water penetration.

TORLYS FoamPlus™ Blue Underlay with Microban®

PFT (Progression Foam Technology) attached underlayment that provides superior sound reduction and shock absorption with anti-crush technology that is guaranteed for the lifetime of the floor. It is infused with Microban® technology during the manufacturing process for proven 24/7 defense against mold and odor causing bacteria under the floor.

Transition Free

RigidWood™ and RigidTile™ is a remarkably stable floor with the Uniclic joint that can be installed transition free – meaning no “speed bumps” in doorways or long hallways. (See installation instructions for details.)

TORLYS Maxx Finish

An exclusive long lasting finish with nano technology utilizing aluminum oxide that provides superior stain and scratch resistance. Built-in antimicrobial protection reduces bacteria growth 24/7, keeping floors 99% cleaner between cleanings.

FloorScore®

ALL RigidWood™ and RigidTile™ products are FloorScore® certified, ensuring a safe product for your home.

Pictured on back cover: RigidTile™ Firm Premier, Capri



TORLYS

smart floors

torlys.com

MK-GE-RW906
Feb 2021