

TORLYS Quick•Step® & Smart Laminate



TORLYS
smart floors

QUICK•STEP®
NatureTEK
WOOD PERFECTED

torlys.com



The Smart Advantage

TORLYS
smart floors

QUICK-STEP
NatureTEK
WOOD PERFECTED

AVENUE, COLORADO RUSTIC OAK

TRANSITIONFREE
INSTALLATION SYSTEM

No more transitions or “speed bumps” in spaces up to 50’x 50’!
See installation instructions for details.



A benefit unique to TORLYS: single boards are repaired or replaced using the patented Bulldog™ Tool. No glue. No dust. No mess.

Pictured on cover:
SANGO, SUGAR MAPLE

NALFA
QUALITY CERTIFIED
LAMINATE FLOORING



Waterproof Flooring System



THE SMART ADVANTAGE



TORLYS and Quick-Step® revolutionize laminates by marrying the beauty of wood with high performance, waterproof* floors.

STYLEO, SNYDER OAK



Uniclic® Locking System:

The tightest, strongest joint on the market with pre-tension. Designed to keep water out of the joint and keep it on the surface.



AquaProtect:

Water-repellent edge coating keeps water from penetrating the floor's core. Applies to TORLYS waterproof Smart Laminates.



GenuEdge™ Technology:

Colour rolls over the edge and into the bevel. Seals all edges, keeping water out of the joint and core. Applies to all Quick-Step® NatureTEK Plus laminates.



HydroSeal:

Water-repellent edge coating keeps water from penetrating the core. Applies to all Quick-Step® NatureTek laminates.

* Fully waterproof when installed with a perimeter seal (Grand and Lexington-W collections are not waterproof).
Visit torlys.com for complete warranty and installation information.



Colossia

QUICK-STEP
NatureTEK
PERFORMANCE WOOD PLUS



Colossia is an extraordinary, waterproof* collection in contemporary oak designs, offering extra wide and long planks for distinctive detailing.

3/8" (T) x 9-7/16" (W) x 80-1/2" (L) (Nominal)
10 mm (T) x 240 mm (W) x 2050 mm (L)

- Longer and wider planks
- Light wire brushed oak with a matte finish
- 10mm waterproof laminate with HydroSeal
- GenuEdge™ bevel enables the surface design and color to "roll over" the edge for the most realistic looks
- Easy clean surface that can be wet and steam mopped
- 4-sided bevel edge and stunning wood visuals and realistic EIR textures
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- Transition free installation on floors up to 50' x 50'


GenuEdge
TECHNOLOGY

UNICLIC



PROVIDENCE OAK

* Visit torlys.com for full warranty and installation information.





Sango

QUICK-STEP
NatureTEK
PERFORMANCE WOOD PLUS



A sleek and contemporary colour palette in stunning Maple patterns.

1/2" (T) x 7-1/2" (W) x 54-11/32" (L) (nominal)
12 mm (T) x 190 mm (W) x 1380 mm (L)

- On trend hardwood looks in beautiful maple patterns
- Matte finish
- 12mm waterproof laminate with HydroSeal
- GenuEdge™ bevel enables the surface design and colour to "roll over" the edge for the most realistic looks
- Easy clean surface that can be wet and steam mopped
- 4-sided bevel edge and stunning wood visuals with realistic EIR textures
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- Transition free installation on floors up to 50' x 50'

GenuEdge™
TECHNOLOGY

UNICLIC®



* Visit torlys.com for full warranty and installation information.

† High Shade Variation



SUGAR MAPLE



SUGAR MAPLE
QS-UP4878



TRIDENT MAPLE†
QS-UP4879



RENAISSANCE MAPLE†
QS-UP4881



ASH MAPLE
QS-UP4882



Styleo

QUICK STEP
NatureTEK
PERFORMANCE WOOD PLUS



Styleo is a new generation of waterproof* floors offering sophisticated oak designs to suit any design taste.

1/2" (T) x 7-1/2" (W) x 54-11/32" (L) (Nominal)
12 mm (T) x 190 mm (W) x 1380 mm (L)

- Sophisticated rustic oak visuals
- Matte finish
- 12mm waterproof laminate with HydroSeal
- GenuEdge™ bevel enables the surface design and colour to "roll over" the edge for the most realistic looks
- Easy clean surface that can be wet and steam mopped
- 4-sided bevel edge and stunning wood visuals with realistic EIR textures
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- Transition free installation on floors up to 50' x 50'



BARREL OAK

GenuEdge
TECHNOLOGY

UNICLIC®



* Visit torlys.com for full warranty and installation information.



AUSTEN OAK
QS-UT9902

BARREL OAK
QS-UT9903

CAMPFIRE OAK
QS-UT9915

SNYDER OAK
QS-UT9919

Natrona



Natrona is a waterproof* collection, featuring wide planks and GenuEdge™ technology.

1/2" (T) x 7-1/2" (W) x 47-1/4" (L) (Nominal)
12 mm (T) x 190 mm (W) x 1200 mm (L)

- Wide planks with a natural, authentic EIR finish
- Wirebrushed surface texture with a matte finish
- 12mm waterproof laminate with HydroSeal
- GenuEdge™ bevel enables the surface design and colour to "roll over" the edge for the most realistic looks
- Easy clean surface that can be wet and steam mopped
- 4-sided bevel edge and stunning wood visuals
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- Transition free installation on floors up to 50' x 50'



* Visit torlys.com for full warranty and installation information.



WHEAT OAK



MAULDIN OAK
QS-UN4019



LANDER OAK
QS-UN4021



WHEAT OAK
QS-UN4022



SUMMIT OAK
QS-UN4023



GABLE OAK



Envique

QUICK STEP
NatureTEK
PERFORMANCE WOOD PLUS



One of the most advanced laminates; Envique is authentic, innovative and dramatic.

1/2" (T) x 7-1/2" (W) x 54-11/32" (L) (Nominal)
12 mm (T) x 190 mm (W) x 1380 mm (L)

- Luxurious planks featuring authentic hardwood looks
- Deeply embossed textures with the ultimate attention to detail for a distinctive feel
- 12mm waterproof laminate with HydroSeal
- GenuEdge™ bevel enables the surface design and colour to "roll over" the edge for the most realistic looks
- Easy clean surface that can be wet and steam mopped
- 4-sided bevel edge
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- Transition free installation on floors up to 50' x 50'

GenuEdge
TECHNOLOGY

UNICLIC



* Visit torlys.com for full warranty and installation information.



MAISON OAK
QS-IMUS1849

GABLE OAK
QS-IMUS1858

WOODLAND OAK
QS-IMUS3230

DUTCH OAK
QS-IMUS3231

MEMOIR OAK
QS-IMUS3416

Reclaimé



Reclaimé features unmatched realism of timeworn reclaimed hardwood.

1/2" (T) x 7-1/2" (W) x 54-11/32" (L) (Nominal)
12 mm (T) x 190 mm (W) x 1380 mm (L)

- Distinctive look of vintage reclaimed oak wood
- Planks with "skip-sawn" texturing, offering a rustic, hand-hewn appeal
- Expansive width and length
- Milled bevel with HydroSeal
- 12mm waterproof laminate
- Easy clean surface that is damp mop approved
- 4-sided bevel edge with stunning wood visuals and realistic EIR textures
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- Transition free installation on floors up to 50' x 50'



* Visit torlys.com for full warranty and installation information.
**AC3 rated wear layer. † High Shade Variation



HAMILTON OAK

 <p>MALTED TAWNY OAK** QS-UF1548W</p>	 <p>HEATHERED OAK† QS-UF1574W</p>	 <p>FLINT OAK† QS-UF1575W</p>	 <p>MOCHA OAK** QS-UF1578W</p>	 <p>WHITE WASH OAK† QS-UF1667W</p>	 <p>OLD TOWN OAK† QS-UF1935W</p>	
 <p>TUDOR OAK† QS-UF3132W</p>	 <p>JEFFERSON OAK QS-UF4202W</p>	 <p>CHESTER OAK QS-UF4203W</p>	 <p>HAMILTON OAK QS-UF4204W</p>	 <p>ANDERSON OAK QS-UF4205W</p>	 <p>WILSON OAK QS-UF4206W</p>	 <p>ROANE OAK QS-UF4207W</p>



Provision

QUICK STEP
NatureTEK
PERFORMANCE WOOD
SELECT



Provision is a waterproof* collection offered in beautiful wide planks with unmatched performance.

1/2" (T) x 7-1/2" (W) x 47-1/4" (L) (Nominal)
12 mm (T) x 190 mm (W) x 1200 mm (L)


- Wide planks with a natural, authentic feeling finish
- Milled bevel with HydroSeal
- Wirebrushed surface texture with a matte finish
- 12mm waterproof laminate
- Easy clean surface that is damp mop approved
- 4-sided bevel edge with stunning wood visuals and realistic EIR textures
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- Transition free installation on floors up to 50' x 50'

UNICLIC®



TIPTON OAK

* Visit torlys.com for full warranty and installation information.



MADISON OAK
QS-PV4186

HARDIN OAK
QS-PV4191

FRANKLIN OAK
QS-PV4221

TIPTON OAK
QS-PV4222

BEDFORD OAK
QS-PV4223

Leuco

QUICK-STEP
NatureTEK
PERFORMANCE WOOD
SELECT



A beautiful range of subtle oak designs with an attached pad for increased sound absorption and comfort.

1/2" (T) x 7-1/2" (W) x 54-11/32" (L) (nominal)
12 mm (T) x 190 mm (W) x 1380 mm (L)

- Understated colour palette with clean Oak patterns
- 10mm waterproof laminate with 2mm attached pad (total thickness: 12mm)
- Attached pad protects against mould and mildew growth
- Milled bevel with HydroSeal
- Easy clean surface that is damp mop approved
- 4-sided bevel edge with stunning wood visuals and realistic EIR textures
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- Transition free installation on floors up to 50' x 50'



* Visit torlys.com for full warranty and installation information.

† High Shade Variation



NATURAL OAK



ALBA OAK
QS-UM4870

WILLOW OAK†
QS-UM4871

PINNATE OAK
QS-UM4872

SWEET
CREAM OAK
QS-UM4883

NATURAL OAK
QS-UM4884

CHESTNUT
OAK
QS-UM4885



NEWLANDS OAK



Avenue















An extensive collection of on trend colours and patterns in a waterproof* platform.

5/16" (T) X 7-9/16" (W) X 49-5/8" (L) (nominal)
8 mm (T) X 192mm (W) X 1261mm (L)

- A diverse range of classic and contemporary colours
- 8mm waterproof laminate with Aqua Protect to keep water from penetrating the core
- 4-sided bevel edge with stunning wood visuals and authentic all over textures
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- Transition free installation on floors up to 50' x 50'



* Visit torlys.com for full warranty and installation information.

 <p>COLORADO OAK TL-AV225-PEFC</p>	 <p>HAWTHORNE OAK TL-AV226-PEFC</p>	 <p>NEWLANDS OAK TL-AV227-PEFC</p>	 <p>WESTWOOD OAK TL-AV228-PEFC</p>	 <p>BOWERY OAK TL-AV229-PEFC</p>	 <p>BEVERLEY OAK TL-AV230-PEFC</p>
 <p>ALONDRA OAK TL-AV231-PEFC</p>	 <p>MELROSE OAK TL-AV232-PEFC</p>	 <p>LAUREL OAK TL-AV233-PEFC</p>	 <p>VENTURA OAK TL-AV234-PEFC</p>	 <p>ARTESIA OAK TL-AV235-PEFC</p>	 <p>LINCOLN WALNUT TL-AV236-PEFC</p>

Rivera



Classic and elegant – an authentic look with a waterproof* surface.

1/2" (T) X 7-9/16" (W) X 49-5/8" (L) (nominal)
12 mm (T) X 192mm (W) X 1261mm (L)

- A range of classic hardwood looks with realistic textures
- 12mm waterproof laminate with Aqua Protect to keep water from penetrating the core
- 4-sided bevel edge with stunning wood visuals and realistic EIR textures
- AC5 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- Transition free installation on floors up to 50' x 50'



ALASSIO OAK†

* Visit torlys.com for full warranty and installation information.

† High Shade Variation

VALLEGGIA OAK
TL-30500-PEFC

CASSIS OAK
TL-30501-PEFC

GENOA OAK
TL-30502-PEFC

ALASSIO OAK†
TL-30503-PEFC

SANREMO OAK
TL-30504-PEFC

TOULON OAK
TL-30505-PEFC

PALOMA OAK
TL-30506-PEFC

MONACO OAK
TL-30507-PEFC



Classic Plus



Realistic detailing and authentic light and dark nuances create a floor that is a design statement.

5/16" (T) x 7-1/2" (W) x 47-1/4" (L) (Nominal)
8 mm (T) x 190 mm (W) x 1200 mm (L)


- Authentically beautiful floor with a natural hardwood look
- Contours are emphasized by authentic surface textures and fine seams around the edges and ends of each plank
- Nano-bevelled edges
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- 8mm waterproof laminate with Aqua Protect to keep water from penetrating the core
- Transition free installation on floors up to 50' x 50'



HAVANNA OAK NATURAL

* Visit torlys.com for full warranty and installation information.

** Square Edges



Grand



Extra long and extra wide planks to create a spacious and luxurious look.

5/16" (T) X 9-7/16" (W) X 80-11/16" (L) (nominal)
8 mm (T) X 240 mm (W) X 2050 mm (L)

- A range of traditional and contemporary colours in extra wide and long planks
- 8mm laminate with 4-sided bevel edges and realistic all over textures
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- Transition free installation on floors up to 50' x 50'




CARLOTA OAK

* Visit torlys.com for full warranty and installation information.



MONARCH OAK
TL-GR421-PEFC



KONINGIN OAK
TL-GR422-PEFC




EMPRESS OAK
TL-GR423-PEFC



AUGUSTA OAK
TL-GR424-PEFC



CARLOTA OAK
TL-GR425-PEFC



FABIOLA OAK
TL-GR426-PEFC



Lexington-W



Get the look of traditional hardwood with Lexington-W, now in a wide plank format.



5/16" (T) X 7-9/16" (W) X 49-5/8" (L) (nominal)
8 mm (T) X 192 mm (W) X 1261 mm (L)

- A range of colours and patterns in extra wide and long planks
- 8mm laminate with 4-sided bevel edges and realistic all over textures
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- Transition free installation on floors up to 50' x 50'



LANEFFE OAK

* Visit torlys.com for full warranty and installation information.



LANEFFE OAK
TL-LW1311-PEFC

KORTEMARK OAK
TL-LW1312-PEFC

BEAUMONT OAK
TL-LW1313-PEFC

CHARLEROI OAK
TL-LW1314-PEFC

WALCOURT HICKORY
TL-LW1315-PEFC

BRUSSELS OAK
TL-LW1316-PEFC

ROCHEFORT OAK
TL-LW1317-PEFC

LANDEN OAK
TL-LW1318-PEFC

Park Lane



Park Lane creates a look of classic, time-honoured hardwoods, capturing rich texture, beauty and charm.

5/16" (T) x 6-1/8" (W) x 54-11/32" (L)
8mm (T) x 156mm (W) x 1380mm (L)

- Clean lines elegantly accentuate natural wood looks of classic, time-honoured hardwoods
- Smooth or gently textured, this versatile flooring complements any interior design style or décor
- Square edges
- AC4 wear rating plus a protective wear layer to stand up against everyday scratches, stains and fading
- 8mm waterproof laminate with Aqua Protect to keep water from penetrating the core
- Transition free installation on floors up to 50' x 50'



† High Shade Variation ‡ Low Shade Variation

* Visit torlys.com for full warranty and installation information.



VENICE OAK LIGHT

OLD OAK MATT OILED†
TL-EL312

WENGE PASSIONATA
TL-EL1300

ESTATE OAK BEIGE
TL-EL3574

NEWCASTLE OAK DARK†
TL-EL3581

NEWCASTLE OAK BROWN†
TL-EL3582

VENICE OAK GREY‡
TL-EL3906


VENICE OAK NATURAL†
TL-EL3908

VENICE OAK LIGHT
TL-EL3990

Finishing Touches

Coordinating Accessories

Mouldings and Trims



5-in-1 Moulding

A Reducer, T-Moulding, multi-purpose square nose and Flush Stair Nosing in ONE profile. Nominal 84-1/2" (length) x 1-7/8" (width), (2150mm x 48mm)

A T-Moulding – used to adjoin two floors of identical height.

B Reducer – used to transition two different floor heights.

C Square Nose – used to transition to carpet.

D Square Nose – edge moulding used to conceal the expansion gap around the perimeter of the room.

E Flush Stair Nosing – seamless trim moulding for installation of laminate on staircases. Clicks flush into your laminate floor, thus eliminating the overlap of traditional stair nosing. An aluminium sub-base is required for the Flush Stair Nosing installations. 5-in-1 can also be used for traditional overlap installations on landings.

TORLYS
smartSTEP

Fixed or Floating Stair Nosing

A unique moulding solution to add the perfect finishing touch to your installation. The smartSTEP is made from an actual plank of flooring for a perfect colour, texture & dimension match. The laminate smartSTEP also uses the Uniclic® joint for an easy installation. A specially engineered metal plate can be used in conjunction with the smartSTEP to allow for a floating installation on landings. Contact TORLYS for details. Not all profiles available for all collections.



Euro Square Profile



Round Profile

Breakthrough Technology. Superior Underlay.

Choosing the correct underlay for your new TORLYS and Quick-Step® laminates is crucial for the protection of your flooring, your warranty and to enhance the warmth and comfort of your new floor.



TORLYS Safe and Sound (5-in-1 Foam Underlay)

TORLYS Safe and Sound reduces the sound of steps and eliminates "hollow" sounds, keeping floors quiet. Featuring a self-sealing built-in vapour barrier and adhesive strip as well as antimicrobial protection to help prevent mould and mildew. Up to IIC 71*



TORLYS Acoustik™ (4-in-1 Foam Underlay)

TORLYS Acoustik™ has superior impact sound insulation properties (IIC-rated), ideal for highrise installations. TORLYS Acoustik™ also features a vapour barrier and a built-in adhesive strip as well as antimicrobial protection to help prevent mould and mildew. Up to IIC 74*



TORLYS 3-in-1 Foam Underlay

This foam underlay provides cushion and step-sound reduction. It includes a vapour barrier with a built-in adhesive strip and antimicrobial protection to help prevent mould and mildew. Up to IIC 70*



TORLYS CorkPlus™ BLUE Underlay

TORLYS CorkPlus™ Blue Underlay is a superior natural insulator with long-lasting performance. This environmentally friendly product offers natural air-cushioning for comfort, sound step absorption and thermal insulation, and contains Microban® antimicrobial protection that helps prevent mould and mildew. Up to IIC 71*



TORLYS XV Foam Underlay

TORLYS XV underlayment is the perfect solution when budget is important. It provides moisture and sound control at an incredible value. Featuring a built-in adhesive strip to ensure your floor is protected from moisture. Up to IIC 71*



TORLYS LV-Pro Foam Underlay

TORLYS LV-Pro is a high density underlayment solution, created to help minimize subfloor imperfections. It has a self-sealing moisture barrier with Ultra-Fresh™ antimicrobial technology infused into the underlayment to protect against the growth of mould and mildew.

*Visit torlys.com for specific collection ratings. Contact TORLYS for testing details.

Laminate Maintenance

TORLYS EcoCare Maintenance Kit

TORLYS EcoCare Maintenance Kit makes cleaning easy and carefree. It leaves no trace or residue, is easy on the environment and non-toxic, making it safe for pets and children. Proudly made in Canada. The kit includes a telescopic handle, a mop cover and a 700ml ready-to-use cleaner.

Maintain Humidity in Your Home

TORLYS smart floors and Quick-Step® are natural products. Use a humidifier or dehumidifier to regulate humidity (20-65%) and minimize expansion and contraction. This is required to preserve your floor.

Minor Fix-Ups

TORLYS offers touch-up kits for minor scratches.



Why TORLYS Smart or Quick•Step® Laminates?

Protection & Performance



How It's Made

- 1 Top Layer.** A top finishing layer to ensure your floor stays beautiful year after year
- 2 Decorative Layer.** Real wood-like patterns featuring natural designs
- 3 TORLYS Smart Core.** Engineered to be dent resistant and strong
- 4 TORLYS Uniclic® Joint.** The most advanced, gap-resistant joint system available today
- 5 Bottom Layer.** Provides moisture protection to the core and added stability.

Smart Technology.

Like all TORLYS Smart and Quick•Step® Laminate floors, a unique production process ensures an environmentally friendly floor. These floors are made in Europe and North America. Its North American produced laminate floors contain no less than 70% recycled and fast growing softwood from managed forests for this state-of-the-art high density Smart Core.

No harmful VOCs.

These floors are FloorScore® certified, helping you create a healthier home as they contain no harmful VOC emissions and exceed California Indoor Air Quality standards; among the most stringent in the world.

Worry Less. Enjoy Your Floor.



TRANSITION FREE INSTALLATION SYSTEM

- TORLYS Smart Laminates & Quick•Step® NatureTek Laminates can be installed up to 50'x 50' with no transitions or "speed bumps"!
- No more transitions in doorways or long hallways, create one seamless installation from room to room for a completely flawless look*.

A Floor's Best Friend

TORLYS Bulldog™ Easy Plank Replacer allows you to:

- Replace a damaged plank, not your entire floor. Simply ask your TORLYS retailer to replace damaged or dented planks using the TORLYS Bulldog™ Easy Plank Replacer. No glue. No nails. No staining.

**Visit torlys.com for specific installation instructions.*

TORLYS Peace of Mind Assurance

Now That's Smart!

Non-Prorated.

TORLYS' exclusive non-prorated warranty means we are so confident that our floors will perform that if there is a manufacturer's defect during the warranty period, we will cover full replacement costs for your floor.*

Change Your Mind?

If after 30 days from installation you are not satisfied with the colour or style of your TORLYS or Quick•Step® floor, contact your retailer and TORLYS will replace your floor with a TORLYS or Quick•Step® floor of equivalent value. All you pay is the cost of installation.*

Guaranteed Trade-in Value.

Years down the road, when you want to change your floor, TORLYS will provide you a Trade-in Value of up to 20% of the original purchase price of your old floor. All you need to do now is register the warranty for your new floor.

**For more information or to register your warranty, visit torlys.com.*

Wear, Stain, Fade and Water Resistance

35 year limited

Structure

Lifetime

No Gapping

Lifetime when 20-65% humidity maintained.

Surface Waterproof Warranty**

35 Year: Enquire Colossia Natrona Sango Styleo

10 Year: Park Lane Classic Plus Avenue Rivera Provision Reclaime Leuco

***Grand and Lexington-W are not covered by the surface waterproof warranty.*

HEALTHY HOME Indoor Air Quality

We follow some of the most stringent standards in the world. TORLYS flooring products meet California Section 01350 requirements and/or FloorScore® Certification.

Re-purpose guarantee*

Move your TORLYS or Quick•Step® floor to another room or another home 3-times under warranty.

Trade In Value*

20% – up to 35 years
Toward the purchase of a new TORLYS or Quick•Step® floor. Visit torlys.com for details.

Satisfaction Guaranteed*

30/90 days
If after 30 days you are not satisfied with the colour or style you chose, you have 90 days to order another TORLYS or Quick•Step® floor. Visit torlys.com for details.

50' x 50' Transition-Free Installation

Contact TORLYS for details.

Note: Visit torlys.com for complete details on the TORLYS Peace of Mind Assurance Program.

**Repurpose Guarantee, Trade in Value and Satisfaction Guaranteed. For TORLYS or Quick•Step® flooring installed floating. Valid only in Canada. Applies to residential installations only.*



TORLYS
smart floors

QUICK-STEP
NatureTEK
WOOD PERFECTED

torlys.com

MK-GE-TQ908
November 2020