

TORLYS Quick•Step® & Smart Laminate

TORLYS
smart floors

QUICK STEP
NatureTEK
FROM TORLYS



torlys.com



The Smart Advantage

TORLYS
smart floors

QUICK STEP
NatureTEK
FROM TORLYS

FJORD, RUNA MAPLE
TL-NEUM08

TRANSITION FREE
INSTALLATION SYSTEM

No more transitions or “speed bumps” in spaces up to 50’x 50’!
See installation instructions for details.



A benefit unique to TORLYS: single boards are repaired or replaced using the patented Bulldog™ Tool. No glue. No dust. No mess.

Pictured on cover:
STYLEO, BOLINGBROOK OAK
QS-UT9907

NALFA
QUALITY CERTIFIED
LAMINATE FLOORING



Waterproof Flooring System



QUICK STEP

NatureTEK™

FROM TORLYS

STYLEO, SNYDER OAK
QS-UT9919

TORLYS and Quick•Step® revolutionizes laminates; marrying the beauty of wood with high performance in a waterproof floor thanks to the innovative technologies of HydroSeal, Uniclic® and GenuEdge™.



Uniclic® locking system: the tightest, strongest joint on the market with pre-tension designed to keep water out of the joint and keep it on the surface.



GenuEdge™ technology: colour rolls over the edge and into the bevel, sealing all edges, keeping water out of the joint and core.



HydroSeal water-repellent edge coating keeps water from penetrating the HDF core.

* Fully waterproof when installed with a perimeter seal. Visit torlys.com for complete warranty and installation information.



Colossia

● ● ● ● ● DESIGNER



Colossia is an extraordinary, waterproof* collection in contemporary oak designs, offering extra wide and long planks for distinctive detailing.

3/8" (T) x 9-7/16" (W) x 80-1/2" (L) (Nominal)
10 mm (T) x 240 mm (W) x 2050 mm (L)



- Longer and wider planks
- Light wire brushed oak
- GenuEdge™ rolled bevel edges + Hydroseal
- Matte finish
- Durable AC4 rated wear layer
- Transition free installation on floors up to 50' x 50'

*Visit torlys.com for full warranty and installation information.



PROVIDENCE OAK
QS-UC4043

QUICK-STEP® NATURETEK WATERPROOF LAMINATE





AUSTEN OAK
QS-UT9902

Styleo

● ● ● ● ● DESIGNER



Styleo is a new generation of waterproof* floors offering sophisticated oak designs to suit any design taste.

1/2" (T) x 7-1/2" (W) x 54-11/32" (L) (Nominal)
12 mm (T) x 190 mm (W) x 1380 mm (L)

- Sophisticated rustic oak visuals
- GenuEdge™ rolled bevel edges + Hydroseal
- Matte finish
- Durable AC4 rated wear layer
- Transition free installation on floors up to 50' x 50'


* Visit torlys.com for full warranty and installation information.



BARREL OAK
QS-UT9903



AUSTEN OAK
QS-UT9902



BARREL OAK
QS-UT9903



BOLINGBROOK OAK
QS-UT9907



LILI OAK
QS-UT9908



CAMPFIRE OAK
QS-UT9915



SNYDER OAK
QS-UT9919



Natrona



● ● ● ● ● DESIGNER

Natrona is a waterproof* collection, featuring wide planks and GenuEdge™ technology.

1/2" (T) x 7-1/2" (W) x 47-1/4" (L) (Nominal)
12 mm (T) x 190 mm (W) x 1200 mm (L)

- Wide planks with a natural, authentic EIR finish
- GenuEdge™ rolled bevel edges + Hydroseal
- Matte finish
- Wirebrushed surface texture
- Durable AC4 rated wear layer
- Transition free installation on floors up to 50' x 50'

* Visit torlys.com for full warranty and installation information.



CUMBERLAND OAK
QS-UN4020

QUICK-STEP® NATURETEK WATERPROOF LAMINATE



MAULDIN OAK
QS-UN4019



CUMBERLAND OAK
QS-UN4020



LANDER OAK
QS-UN4021



WHEAT OAK
QS-UN4022



SUMMIT OAK
QS-UN4023



SUMMER PINE**
QS-IMUS1860

Envique



● ● ● ● ● DESIGNER

One of the most advanced laminates; Envique is authentic, innovative and dramatic.


1/2" (T) x 7-1/2" (W) x 54-11/32" (L) (Nominal)
12 mm (T) x 190 mm (W) x 1380 mm (L)

- Luxurious planks featuring authentic looks with surface colour design that rolls over the edges
- Deeply embossed textures with the ultimate attention to detail for a distinctive feel
- GenuEdge™ rolled bevel edges + Hydroseal
- Ultra-realistic 12 mm planks
- Durable AC4 rated wear layer
- Transition free installation on floors up to 50' x 50'

* Visit torlys.com for full warranty and installation information.
** AC3 rated wear layer.



MAISON OAK
QS-IMUS1849



GABLE OAK
QS-IMUS1858




SUMMER PINE**
QS-IMUS1860



URBAN CONCRETE OAK**
QS-IMUS1861



TUXEDO PINE
QS-IMUS1862




BRIDAL PINE
QS-IMUS1992



WOODLAND OAK
QS-IMUS3230



DUTCH OAK
QS-IMUS3231



MEMOIR OAK
QS-IMUS3416

Largo



DESIGNER



Extra long and wide planks create depth and an extra sense of space for a more natural, expansive hardwood floor look.

3/8" (T) x 8-1/16" (W) x 80-11/16" (L) (Nominal)
9.5 mm (T) x 205 mm (W) x 2050 mm (L)

- Beautifully styled and sophisticated in extra long and wide planks
- Warm and welcoming with subtle elegance and texture
- Extra-wide plank
- Milled bevel edge with Hydroseal
- Durable AC4 rated wear layer
- Transition free installation on floors up to 50' x 50'

*Visit torlys.com for full warranty and installation information.



GRAPHITE OAK
QS-LPUS3632

QUICK-STEP® NATURETEK WATERPROOF LAMINATE



DOMINICANO
OAK GREY
QS-LPU1663



CAMBRIDGE
OAK DARK
QS-LPU1664



SCULPTURE OAK
QS-LPUS3631



GRAPHITE OAK
QS-LPUS3632



HAMILTON OAK
 QS-UF4204W

Reclaimé



● ● ● ● ● DESIGNER

Reclaimé features unmatched realism of timeworn reclaimed hardwood. Choose from vintage wood looks that are even waterproof!*


1/2" (T) x 7-1/2" (W) x 54-11/32" (L) (Nominal)
12 mm (T) x 190 mm (W) x 1380 mm (L)

- Distinctive look of vintage reclaimed oak wood
- Planks with "skip-sawn" texturing, offering a rustic, hand-hewn appeal
- Expansive width and length
- 12mm planks
- Milled bevel with HydroSeal
- Durable AC4 rated wear layer
- Transition free installation on floors up to 50' x 50'

* Visit torlys.com for full warranty and installation information.

** AC3 rated wear layer.

† High Shade Variation



Provision



● ● ● ● ● DESIGNER

Provision is a waterproof* collection offered in beautiful wide planks with unmatched performance.

1/2" (T) x 7-1/2" (W) x 47-1/4" (L) (Nominal)
12 mm (T) x 190 mm (W) x 1200 mm (L)

- Wide planks with a natural, authentic feeling finish
- Milled bevel with HydroSeal
- Matte finish
- Wirebrushed surface texture
- Durable AC4 rated wear layer
- Transition free installation on floors up to 50' x 50'

*Visit torlys.com for full warranty and installation information.



TIPTON OAK
QS-PV4222

QUICK-STEP® NATURETEK WATERPROOF LAMINATE



MADISON OAK
QS-PV4186

HARDIN OAK
QS-PV4191

FRANKLIN OAK
QS-PV4221

TIPTON OAK
QS-PV4222

BEDFORD OAK
QS-PV4223



RUNA MAPLE
TL-NEUM08

Fjord

● ● ● ● ● DESIGNER

Modern and durable by design, Fjord offers a striking on-trend collection with authentic hardwood looks.

5/16" (T) x 6-1/8" (W) x 47-1/4" (L)
8mm (T) x 156mm (W) x 1200mm (L)

- Subtle textures with bevelled edges create authentic wood looks
- Micro-bevelled 4-sides
- Durable AC4 rated wear layer
- Transition free installation on floors up to 50' x 50'

† High Shade Variation



ASGARD HICKORY
TL-NEUM01



OSLO MAPLE†
TL-NEUM02



HALVAR OAK
TL-NEUM03




AURLANDS OAK
TL-NEUM04



NORD OAK
TL-NEUM05



ASTRID OAK
TL-NEUM06



LYNGEN OAK
TL-NEUM07



RUNA MAPLE
TL-NEUM08

Sugar Hill

● ● ● ● ● DESIGNER

Sugar Hill is a beautifully styled floor in thick, wide planks and subtle textures. A design statement for any home.

1/2" (T) x 6-1/8" (W) x 54-11/32" (L)
12mm (T) x 156mm (W) x 1380mm (L)


Century Oak, Clamshell Oak and Misty Hollow Oak measure 47-1/4" or 1200 mm (L)

- Warm, inviting colours and bevelled edges create an exceptionally beautiful floor
- Subtle textures create realistic wood effects
- Micro-bevelled 4-sides
- Durable AC3 rated wear layer
- Transition free installation on floors up to 50' x 50'

† High Shade Variation



NATURAL WALNUT*
TL-NEUC03





HAVANNA OAK NATURAL
QS-UM1655

Classic Plus


● ● ● ● ● DESIGNER

Realistic detailing and authentic light and dark nuances create a floor that is a design statement.

5/16" (T) x 7-1/2" (W) x 47-1/4" (L) (Nominal)
8 mm (T) x 190 mm (W) x 1200 mm (L)

- The natural look of these beautiful oak floors is created through authentic light and dark nuances within the pattern of the wood
- Contours are emphasized by natural authentic surface textures and fine seams around the edges and ends of each plank
- Nano-bevelled edges – QS-UM1405 and QS-UM1653 have square edges
- Durable AC4 rated wear layer
- Transition free installation on floors up to 50' x 50'

***Square Edges




OLD OAK NATURAL
QS-UM1381

OLD OAK GREY
QS-UM1382

OLD OAK DARK
QS-UM1383

OLD OAK LIGHT
GREY***
QS-UM1405

MIDNIGHT OAK DARK
QS-UM1488



RECLAIMED
WHITE PATINA OAK***
QS-UM1653

HAVANNA OAK
NATURAL
QS-UM1655

HAVANNA OAK
NATURAL SAW CUT
QS-UM1656

HAVANNA OAK DARK
SAW CUT
QS-UM1657

Elka 8

● ● ● ● ● DESIGNER

Wide planks with modern finishes, stunning colours and a durable construction.

5/16" (T) x 7-1/2" (W) x 49-5/8" (L) (Nominal)
8mm (T) x 192mm (W) x 1261mm (L)

- Wide planks with modern finishes and realistic visuals
- Micro-bevelled 4-sides
- Subtle and stunning colour range
- Durable AC4 rated wear layer
- Transition free installation on floors up to 50' x 50'

† High Shade Variation




DRIFTWOOD OAK
TL-ELV017-ELV182



DRIFTWOOD OAK
TL-ELV017-ELV182




PEBBLE OAK
TL-ELV018-ELV183




RUSTIC OAK
TL-ELV254N-ELV281



FROSTED OAK
TL-ELV705-ELV207



HONEY OAK†
TL-ELV957-ELV223



SMOKED OAK
TL-ELV959-ELV225



Park Lane



● ● ● ● ● DESIGNER

Park Lane creates a look of classic, time-honoured hardwoods, capturing rich texture, beauty and charm.

5/16" (T) x 6-1/8" (W) x 54-11/32" (L)
8mm (T) x 156mm (W) x 1380mm (L)

- Clean lines elegantly accentuate natural wood looks of classic, time-honoured hardwoods
- Smooth or gently textured, this versatile flooring complements any interior design style or décor
- Square edges
- Durable AC4 rated wear layer
- Transition free installation on floors up to 50' x 50'

† High Shade Variation ‡ Low Shade Variation
Visit torlys.com for full warranty and installation information.



VENICE OAK LIGHT
TL-EL3990


TORLYS SMART LAMINATE



Finishing Touches

Coordinating Accessories

Mouldings and Trims



Incizo 5-in-1 Moulding

A Reducer, T-Moulding, multi-purpose square nose and Flush Stair Nosing in ONE profile. Nominal 84-1/2" (length) x 1-7/8" (width), (2150mm x 48mm)



- A T-Moulding** – used to adjoin two floors of identical height.
- B Reducer** – used to transition two different floor heights.
- C Square Nose** – used to transition to carpet.
- D Square Nose** – edge moulding used to conceal the expansion gap around the perimeter of the room.

- E Flush Stair Nosing** – seamless trim moulding for installation of laminate on staircases. Clicks flush into your laminate floor, thus eliminating the overlap of traditional stair nosing. An aluminium sub-base is required for the Flush Stair Nosing installations. Incizo can also be used for traditional overlap installations on landings.

TORLYS smartSTEP

Fixed or Floating Stair Nosing

A unique moulding solution to add the perfect finishing touch to your installation. The smartSTEP is made from an actual plank of flooring for a perfect colour, texture & dimension match. The laminate smartSTEP also uses the Uniclic® joint for an easy installation. A specially engineered metal plate can be used in conjunction with the smartSTEP to allow for a floating installation on landings. Contact TORLYS for details.



Breakthrough Technology. Superior Underlay.

Choosing the correct underlay for your new TORLYS and Quick•Step® laminates is crucial for the protection of your flooring, your warranty and to enhance the warmth and comfort of your new floor.



TORLYS Safe and Sound (5-in-1 Foam Underlay)

TORLYS Safe and Sound reduces the sound of steps and eliminates "hollow" sounds and keeps floors quiet. Featuring a self-sealing built-in vapour barrier and adhesive strip as well as antimicrobial protection to help prevent mould and mildew.



TORLYS Acoustik™ (4-in-1 Foam Underlay)

TORLYS Acoustik™ has superior impact sound insulation properties (IIC-rated), ideal for highrise installations. TORLYS Acoustik™ also features a vapour barrier and a built-in adhesive strip as well as antimicrobial protection to help prevent mould and mildew.



TORLYS 3-in-1 Foam Underlay

This foam underlay provides cushion and step-sound reduction. It includes a vapour barrier with a built-in adhesive strip and antimicrobial protection to help prevent mould and mildew.



TORLYS CorkPlus™ BLUE Underlay

TORLYS CorkPlus™ Blue Underlay is a superior natural insulator with long-lasting performance. This environmentally friendly product offers natural air-cushioning for comfort, sound step absorption and thermal insulation, and contains Microban® antimicrobial protection that helps prevent mould and mildew.



TORLYS XV Foam Underlay

TORLYS XV underlayment is the perfect solution when budget is important. It provides moisture and sound control at an incredible value. Featuring a built-in adhesive strip to ensure your floor is protected from moisture.



TORLYS LV-Pro Foam Underlay

TORLYS LV-Pro is a high density underlayment solution, created to help minimize subfloor imperfections. It has a self-sealing moisture barrier with Ultra-Fresh™ antimicrobial technology infused into the underlayment to protect against the growth of mould and mildew.

Laminate Maintenance

TORLYS EcoCare Maintenance Kit

TORLYS EcoCare Maintenance Kit makes cleaning easy and carefree. It leaves no trace or residue, is easy on the environment and non-toxic making it safe for pets and children. Proudly made in Canada. The kit includes a telescopic handle, a mop cover and a 700ml ready-to-use cleaner.

Maintain Humidity in Your Home

TORLYS smart floors and Quick•Step® are natural products. Use a humidifier or dehumidifier to regulate humidity (20-65%) and minimize expansion and contraction. This is required to preserve your floor.

Minor Fix-Ups

TORLYS offers touch-up kits for minor scratches.



Why TORLYS Smart or Quick•Step® Laminates?

Protection & Performance

What makes TORLYS Smart & Quick•Step® Laminate floors different than other floors?



How It's Made

- 1 Top Layer.** A top finishing layer to ensure your floor stays beautiful year after year
- 2 Decorative Layer.** Real wood-like textures featuring natural designs
- 3 TORLYS Smart Core.** Engineered to be dent resistant and strong
- 4 TORLYS Uniclic® Joint.** The most advanced, gap-resistant joint system available today
- 5 Bottom Layer.** Backing layer provides a moisture barrier and added stability

Smart Technology.

Like all TORLYS Smart and Quick•Step® Laminate floors, a unique production process ensures an environmentally friendly floor. These floors are made in Europe and North America. Its North American produced laminate floors contain no less than 70% recycled and fast growing softwood from managed forests for this state-of-the-art high density Smart Core.

No harmful VOCs.

These floors are FloorScore® certified, helping you create a healthier home as they contain no harmful VOC emissions and exceed California Indoor Air Quality standards; among the most stringent in the world.

Worry Less. Enjoy Your Floor.



TRANSITION FREE INSTALLATION SYSTEM

- TORLYS Smart Laminates & Quick•Step® NatureTek Laminates can be installed up to 50'x 50' with no transitions or "speed bumps"!
- No more transitions in doorways or long hallways, create one seamless installation from room to room for a completely flawless look*.



A Floor's Best Friend

TORLYS Bulldog™ Easy Plank Replacer allows you to:

- Replace a damaged plank, not your entire floor. Simply ask your TORLYS retailer to replace damaged or dented planks using the TORLYS Bulldog™ Easy Plank Replacer. No glue. No nails. No staining.

*Visit torlys.com for specific installation instructions.

TORLYS Peace of Mind Assurance

Performance Warranty

Now That's Smart!

Non-Prorated.

TORLYS' exclusive non-prorated warranty means we are so confident that our floors will perform that if there is a manufacturer's defect during the warranty period, we will cover full replacement costs for your floor.*

Change Your Mind?

If after 30 days from installation you are not satisfied with the colour or style of your TORLYS or Quick•Step® floor, contact your retailer and TORLYS will replace your floor with a TORLYS or Quick•Step® floor of equivalent value. All you pay is the cost of installation.*

Guaranteed Trade-in Value.

Years down the road, when you want to change your floor, TORLYS will provide you a Trade-in Value of up to 20% of the original purchase price of your old floor. All you need to do now is register the warranty for your new floor.

**For more information or to register your warranty, visit torlys.com.*

Wear Warranty

35 year limited

Laminate Stain and Fade

35 year limited

No Gapping

Lifetime when 30-60% humidity maintained.

Laminate Water Warranty

35 year limited

Note: The Envique, Colossia, Styleo, Park Lane, Natrona, Provision, Reclaime & Largo collections are now covered by a full Waterproof Installation Warranty. Contact TORLYS for details.

Structure

Lifetime

HEALTHY HOME Indoor Air Quality

We follow some of the most stringent standards in the world. TORLYS flooring products meet California Section 01350 requirements and/or FloorScore® Certification.

Re-purpose guarantee*

Move your TORLYS or Quick•Step® floor to another room or another home 3-times under warranty.

Trade In Value*

20% – up to 35 years
Toward the purchase of a new TORLYS or Quick•Step® floor. Visit torlys.com for details.

Satisfaction Guaranteed*

30/90 days
If after 30 days you are not satisfied with the colour or style you chose, you have 90 days to order another TORLYS or Quick•Step® floor. Visit torlys.com for details.

50' x 50' Transition-Free Installation

Contact TORLYS for details.

Note: Visit torlys.com for complete details on the TORLYS Peace of Mind Assurance Program.

*Repurpose Guarantee, Trade in Value and Satisfaction Guaranteed. For TORLYS or Quick•Step® flooring installed floating.

Valid only in Canada. Applies to residential installations only.



TORLYS
smart floors

QUICK STEP

NatureTEK
FROM TORLYS



torlys.com

MK-GE-TQ906
November 2019